## ' MICHAELSON & ASSOCIATES

U

Peter L. Michaelson NJ, NY, PA, AK Bars Arbitrator, Am. Arb. Assoc. Fellow, Ch. Inst. Arb. (UK)



August 22, 2006

Attention Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

A printing error has been discovered in the following United States Patent. A completed form for a certificate of correction which lists and corrects this error is enclosed herewith.

U.S. Patent Number: 7,087,523 Issued: August 8, 2006

Serial No.: 10/621,046 Filed: July 16, 2003

Title: METHOD FOR PRODUCING A STRUCTURE USING NANOPARTICLES

Applicants: Constantine P. Grigoropoulos,

Nicole Renée Bieri, Dimos Poulikakos,

Jaewon Chung

Atty. Doc. No.: UCB-6(B01-108-1)

Inasmuch as this error originated with the Applicants, the Applicants have enclosed a check for \$ 230.00 (\$100.00 fee for providing a certificate of correction and \$130.00 processing fee for correcting inventorship).

An assignment was recorded on January 26, 2004 at Reel 014914; Frame 0935 to The Regents of the University of California and to Eidgenössische Technische Hochschule Zürich. The second assignee was inadvertanly omitted from the Issue Fee Transmittal.

100.00 UP 140.00 UP

email: pmichaelson@mandw.com

web site: www.mandw.com

NJ Office (Reply to): P.O. Box 8489 Red Bank, NJ 07701-8489 US Tel: 732-542-7800

Fax: 732-542-7858

Physical Address: Revmont Park, South Bldg. 1161 Broad St., Suite 118 Shrewsbury, NJ 07702 US

08/31/2005 MWOLDGE: 00000001 708/523 Office also in:

Santil China, California 02 FC:1464

In the event a fee is due, kindly charge that fee to my deposit account number 13-3083. To facilitate that charge, a duplicate copy of this letter is enclosed herewith.

Respectfully submitted,

MICHAELSON & ASSOCIATES

Peter L. Michaelson

Reg. No. 30,090 Customer No. 007265

(732) 542-7800

## CERTIFICATE OF MAILING under 37 C.F.R. 1.8(a)

I hereby certify that this correspondence is being deposited on August 23, 2006 with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

and Kesilmen

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

	Page <u>1</u> of <u>1</u>
PATENT NO. : 7,087,523	
APPLICATION NO.: 10/621,046	
ISSUE DATE : August 8, 2006	
INVENTOR(S) : Constantine P. Grigoropoulos, Nicole Renée Bieri, Dimos Poulikakos, Jaewon Chung	
It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:	
Item (73) on the front page of the patent	insert after the current assignee, the following second assignee:Eidgenössische Technische Hochschule Zürich, Zürich, Switzerland

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Michaelson & Associates P.O. Box 8489 Red Bank, NJ 07701-8489

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.